

AD-A041 341

OHIO STATE UNIV RESEARCH FOUNDATION COLUMBUS

F/G 6/1

OPEN-LOOP ANALYSIS OF THE CARBON DIOXIDE RECEPTOR REFLEX.(U)


MAY 77 A L KUNZ


N00014-75-C-0133

UNCLASSIFIED

NL

1 OF 1
ADA
041341





NATIONAL BUREAU OF STANDARDS
MICROCOPY RESOLUTION TEST CHART

AD A 041341

the
ohio
state
university

research foundation

1314 kinnear road
columbus, ohio
43212

RF Project 4084
Final Report

6
OPEN-LOOP ANALYSIS OF THE CARBON DIOXIDE
RECEPTOR REFLEX.

10
Albert L. Kunz
Department of Physiology

9 Final rept.
1 May 69 - 31 Jan 77

For the Period
May 1, 1969 - January 31, 1977

DEPARTMENT OF THE NAVY
Office of Naval Research
Arlington, Virginia 22217

15
Contract No. N00014-75-C-0133

11
May, 1977

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

DDC

RECEIVED
JUL 8 1977
D



12 74p.

AD No.

DDC FILE COPY.

1973
267 360 LB

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) CARBON MONOXIDE STUDIES		5. TYPE OF REPORT & PERIOD COVERED Final 11/1/74 - 10/31/75
7. AUTHOR(s) Albert L. Kunz		6. PERFORMING ORG. REPORT NUMBER 4084 Final
9. PERFORMING ORGANIZATION NAME AND ADDRESS The Ohio State University Research Foundation, 1314 Kinnear Road Columbus, Ohio 43212		8. CONTRACT OR GRANT NUMBER(s) N00014-75-C-0133 new
11. CONTROLLING OFFICE NAME AND ADDRESS Dept. of the Navy, Office of Naval Research Arlington, Virginia 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE June, 1977
		13. NUMBER OF PAGES 69
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) "Approved for public release; distribution unlimited."		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) CO ₂ regulation, control of ventilation, respiratory pacemaker, unidirectional ventilation, avian respiration, intrapulmonary CO ₂ receptors, CO ₂ receptors, biological control systems, feedback regulation, block of receptors, Cheyne-Stokes ventilation, vagotomy		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is the final report on a study of the biological control mechanism governing the regulation of CO ₂ concentration in the blood and the air of the lung. The chicken is used as a model since, unlike mammals, it can be unidirectionally ventilated and the CO ₂ concentration in the lung forced to follow a time pattern controlled by the experimenter. The report consists of a list of the phenomena found, figures illustrating these phenomena and references where each phenomenon is described in detail.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

1B

TABLE OF CONTENTS

	<u>Page</u>
List of Figures	iii
Preface	1
Accomplishments	2
Figures	12
Professional Personnel	53
Articles	54

SPECIFICATION FOR	
NOIS	TYPE SECTION <input checked="" type="checkbox"/>
DOO	NEW SECTION <input type="checkbox"/>
UNSTANDARD	<input type="checkbox"/>
JUSTIFICATION	
BY _____	
DATE _____	
APPROVED BY _____	
DATE _____	
A	

LIST OF FIGURES

<u>Number</u>		<u>Page</u>
1	Chicken Preparation for Unidirectional Respiration	12
2	Schematic for Electro-pneumatic-transducer	13
3	Respiratory Response to Square Wave Changes in CO ₂	14
4	Composite Slide of Nine Square Wave Cycles Like Fig. 3	15
5	Ventilatory Response of Sine Wave Forcing of Fixed Amplitude	16
6	Plot of the Amplitude of Envelope of Respiratory Pattern vs. Frequency and Plot of Mean Ventilation Rate Over a Complete Cycle vs. Frequency	17
7	Schematic of Our Experimental Setup	18
8	Transient Responses to \dot{Q}_{VCO_2} Pulses	19
9	Plot of % CO ₂ vs. CO ₂ Load (Net \dot{Q}_{VCO_2}) x Normal	20
10	Pacing with Frequency Modulated CO ₂ Oscillations	21
11	Pacing with Amplitude Modulated CO ₂ Oscillations	22
12	Phase Relationship Between Oscillation Disturbance and Intrinsic CO ₂ Oscillation	23
13	Oscillator Instability Caused by a 6 sec. Delay	24
14	Cheyne-Stokes: Effect of an 8-Second Delay	25
15	Effect of AC Coupled Delay	26
16	Plot of Period vs. Delay	27
17	Ring Oscillator	28
18	Events Determining the Timing of the Respiratory Cycle	29
19	Frequency Range vs. CO ₂ Disturbances	30
20	AC Coupling Via Tidal Volume	31

LIST OF FIGURES (Continued)

<u>Number</u>		<u>Page</u>
21	Effect of Amplitude of CO ₂ Oscillations	32
22	Oxygen Regulation with Low \dot{Q}	33
23	Transient Responses to \dot{Q}_{O_2} Pulses	34
24	Instability Caused by Increased \dot{Q}	35
25	Cheyne-Stokes Caused by High \dot{Q}	36
26	Cyclic Instability as a Function of Feedback Delay	37
27	Single Unit Recording of SO ₂ Blocking IPC and its Spontaneous Recovery	38
28	Administration of SO ₂ Blocking IPC after 30 sec Latency	39
29	Recovery of Block Introduced in Fig. 28	40
30	I.V. Infusion of SO ₂ -Aerated Saline in CO ₂ Pacing	41
31	Closed-Loop CO ₂ Regulation after Small Doses of SO ₂ in the Steady-State	42
32	Effect of SO ₂ Block on CO ₂ Administration	43
33	Three CO ₂ Receptors with Their Inherent Delay	44
34	Possible Respiratory Drive of Multiple Feedback Diagram	45
35	Analog simulation model	46
36	Pattern Responses to Pulse Changes	47
37	PVLB and Subsequent Unilateral and Bilateral Vagotomy	48
38	Controlled Closed-Loop Steady-State CO ₂ Regulation and Subsequent Surgical Vagotomy	49
39	Schematic of Spontaneous Breathing Setup	50
40	Effect of Delay on Respiratory Period	51
41	Effect of Increasing Pulse Width on Period of Inspiration	52

PREFACE

Since the development of the science of servomechanisms in World War II, biologists have been challenged to see the analogies between servomechanisms and homeostasis and to reduce their descriptive analysis of homeostasis to a set of explicit numerical expressions (a model). This laboratory has been dedicated to understanding the respiratory regulation of carbon dioxide and oxygen on an informational basis; that is, we seek to avoid getting lost in the intrigues of anatomy and membrane biophysics until we understand more precisely how decisions are made by the various control loops (reflexes).

In seeking this goal we have developed specific powerful techniques which allow us to study the deterministic responses of the respiratory system to subtle changes. From open-loop studies, in which we control the concentration of CO_2 in the lung independent of the birds ventilatory movements, we have learned that the respiratory system is sensitive to small oscillations in CO_2 concentration and that breathing will lock onto the period of artificially induced CO_2 oscillations. Closed-loop studies, in which we use the bird's ventilation as feedback to control the carbon dioxide concentration in the lung, strongly suggest that the oscillations of CO_2 produced by ventilation are the major determinant of the respiratory period.

The existence of intrapulmonary CO_2 sensitive receptors (IPC) in the avian lungs is particularly fortuitous because the messages we code in the dynamic changes in CO_2 concentration are quickly sensed and acted upon by the bird. Distortion of the message by transmission through the blood is thereby avoided. We have developed a technique for selectively blocking these intrapulmonary CO_2 sensitive receptors with a small pulse of SO_2 , an action which is rapid and reversible. We have learned that intrapulmonary CO_2 sensitive receptors: (1) contribute to the ventilatory drive, (2) mediate the CO_2 pacing phenomenon, and (3) are important to the stability of the regulation of CO_2 concentration.

This laboratory has developed methods by which ventilatory control can be studied by subtly manipulating parameters which are normally altered by the act of ventilation. The control systems are therefore left intact and the techniques provide information about how the systems operate under normal conditions. This would appear to be the best way to set about understanding a control system.

We are deeply indebted to the Office of Naval Research for its early continuous support and considerate administration of this project.

DDC
RECEIVED
JUL 8 1977
RECEIVED
D

ACCESSION for	
RTIS	White Section <input checked="" type="checkbox"/>
PDC	Butt Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	<input type="checkbox"/>
BY <i>[Signature]</i>	
DISTRIBUTION / AVAILABILITY CODES	
SERIAL / ORIGINAL	

ACCOMPLISHMENTS

The following is a list of the major achievements of this laboratory group during this granting period. Rather than describing each in detail, we have (when applicable) shown a figure illustrating the phenomenon and cited references where more information can be obtained.

1. A surgical procedure³ has been developed for producing an awake, upright, intact, unidirectionally ventilated preparation in which alveolar gas concentrations can be rapidly changed. The essence of the unidirectionally ventilated chicken preparation is that using a high flow rate of the gas in the lung, the pulmonary gas is forced to follow the CO_2 concentration of the insufflated gas. (See Fig. 1.)

2. An electro-pneumatic transducer⁶ was developed to produce a time-prescribed CO_2 concentration signal in the inspiratory gas. This CO_2 signal is modulated by an electrical information signal, like from a signal generator.

Many revisions have made this system capable of producing independent concentration signals for CO_2 and O_2 in a gas stream of constant volume flow and pressure. (See Fig. 2.)

3. Improvements have been made in methods for control of humidity¹⁴ of the insufflated gas. The bird is very sensitive to the drying of airways because the air flow in this preparation is ten times resting minute ventilation. The humidification technique eliminates the need for additional dead space by atomizing water into the air stream.

4. A simple technique for regulating the temperature of inspiratory gas was devised. The bird is extremely dependent upon ventilation as an avenue for heat loss since its feathers are a very effective insulator. Heat was added to the gas stream by running a low voltage current through a twelve ohm twenty-five watt electrical resistor. The temperature of the gas at the trachea's entrance was monitored by a thermister. Since the gas flow was kept constant, the current through the resistor could be easily adjusted to produce the gas temperature desired. The addition of heat also prevented condensation of water in the tubing.

5. A plethysmographic technique has been developed which uses a calibrated leak to allow measurement of rate and volume of respiratory movements while eliminating the troublesome effects of temperature and pressure changes or inboard gas leaks from the preparation.

6. Open-loop transients¹ of the ventilatory response to a step change in CO_2 concentration show an initial proportional crescendo with a time constant of 12 seconds. (See Figs. 3 and 4.)

a. The fact that there is no overshoot in the transient response speaks against the presence of a strong derivative component in the respiratory cycle.

b. The response of ventilation to ramp functions indicates the absence of a strong derivative component.

7. Open-loop steady state analysis¹ show the following:

a. The response of an awake, upright preparation differs from the anesthetized, open-chested, supine chicken preparation reported by Fedde. The awake chickens do not tolerate CO₂ concentrations above 7% while anesthetized ones tolerated up to 20% CO₂. Likewise, the sensitivity of awake chickens to CO₂ is greater than that of anesthetized ones.

b. Bode plots of responses to sinusoidal CO₂ oscillations of varying frequency at constant amplitude and mean CO₂ level show progressive diminution of respiratory envelope oscillations at higher frequencies in contrast to the predictions of rate control. (See Figs. 5 and 6.)

c. Phase plots done on several chickens agree well with the time constant prediction from the step responses.

8. An externally closed-loop preparation^{3,4} was developed. The respiratory control loop was externally closed through an analog computer. (See Fig. 7.) The chicken's respiratory movements effect the alveolar CO₂ via the algorithm:

$$\% \text{ CO}_2 = C \int (\dot{Q} - K \dot{V}_I) dt$$

where \dot{Q} = analog of the CO₂ production,

C & K = proportionality constants,

\dot{V}_I = inspiratory flow.

a. The closed-loop preparation is important because:

(1) It helps preserve homeostatic mechanisms, such as those for CO₂ and acid-base balance.

(2) It allows manipulation of an analog of the venous CO₂ load which otherwise would be difficult.

(3) It allows comparison of the transfer function of the biological component in and out of the loop.

(4) It can provide a method of investigating whether the respiratory controller can learn or adapt.

b. The closed-loop preparations showed¹:

(1) The system seeks a stable equilibrium in which the alveolar CO_2 fluctuates about a constant mean value.

(2) Temporarily elevating the alveolar CO_2 above this normal mean value caused the chicken to breathe faster and deeper, returning his alveolar CO_2 to its previous level. (See Fig. 8.)

(3) If the alveolar CO_2 was temporarily lowered, the chicken would breathe slower and less deeply, returning the alveolar CO_2 to the equilibrium level.

(4) The regulated equilibrium level of alveolar CO_2 was dependent on the CO_2 load. (See Fig. 9.) (The CO_2 load in this preparation represents metabolically-produced CO_2 that must be equal to the CO_2 exhaled for the steady state CO_2 level to be maintained. The CO_2 load was simulated by the analog computer.) The possibility of integral control is refuted by the presence of offset error.

9. It was found that oscillations of alveolar CO_2 would be used to pace breathing.³

a. Pacing can be accomplished in open-loop preparation via an input CO_2 ripple about a mean value. (See Fig. 10.)

b. The range of frequencies for which entrainment is possible is two octaves for any given mean CO_2 value.

c. The amplitude of the oscillations was unimportant as long as it was above threshold. (See Fig. 11.)

d. Entrainment of breathing continued on a one-to-one oscillation-to-breath correspondence through frequency modulations of the CO_2 oscillations. (See Fig. 10.)

e. Pacing was also possible in the closed-loop preparation by adding an oscillatory disturbance of CO_2 . (See Fig. 12.)

f. Phasing of respiratory movements with the CO_2 oscillations in the closed-loop case was such that the combined effect was to maximize alveolar oscillations. (See Fig. 12.)

10. Delays in the externally closed-loop preparation⁴ of number 8 have the following effects:

a. A six-second delay causes periodic sinusoidal oscillations in mean CO_2 and respiratory movements. (See Fig. 13.)

b. An eight-second delay causes frank Cheyne-Stokes respiration. (See Fig. 14.)

11. The chicken's respiratory system appears to be sensitive to two frequency bands of CO_2 oscillations, very slow changes (the mean CO_2) and the frequency of breathing. AC coupling allows the higher frequency oscillation information to be fed back into the system while filtering out the low frequency changes in mean CO_2 . (See Fig. 15.) Thus the $\text{CO}_2(t)$ has a ripple with each breath but the mean CO_2 over a 5-10 second interval remains constant. This technique with a delay in the feedback loop has led to the following discoveries. (See Fig. 16.)

a. Delays less than the initial period of respiration (with no delay) lengthens the respiratory period a corresponding amount; i.e., a one-second delay lengthens the respiratory period one second.

b. A delay slightly greater than the initial period reverts the period to its original duration.

c. Increasing the delay further lengthens the respiratory period by only one-half the length of the delay; i.e., a two-second increase in the delay time only increases the period one second.

d. This continues until the period becomes slowed to twice the initial period when the period again reverts to the duration of the initial period.

e. A further increase in the delay increases the period by an amount only one-third the amount of the delay; i.e., a three-second increase in the delay yields only a one-second increase in the period.

12. Modelling of the effect of delay on respiratory period suggests¹:

a. The phenomenon is essentially the interplay of two events, the beginning of the inspiratory movement, and the beginning of lowering the % CO_2 . (Respectively B (or 5) and C (or 2).
 $B \rightarrow C \rightarrow B \rightarrow C \dots$

b. The interval B-C is the external interval composed of a mechanical delay of 0.4 seconds and a computer delay we can change from 0 to 10 seconds.

c. The interval C-B is the intrinsic delay within the chicken. It is equal to the respiratory period with zero delay.

d. Increasing the B-C interval directly increases period. When the B-C interval becomes longer than the C-B interval a spontaneous B causes a second sequence which is interlocked with the

first. This accounts for the sudden halving of the respiratory period. (See Fig. 17.)

e. We conclude that this mechanism results from the action of a respiratory oscillator which functions during normal breathing in the chicken. This oscillator consists of an information loop running from the brain to the respiratory musculature. Lowered CO_2 (resulting from inspiration) is detected by the CO_2 receptors in the lung; this retriggers the brain to cause another breath. (See Fig. 18.)

13. A second stable feedback algorithm¹² was invented which made the effect of the depth of breathing an all-or-none phenomenon. The algorithm was:

$$\% \text{CO}_2 = c \int (\dot{Q} - K f_e) dt$$

$\% \text{CO}_2$ = CO_2 in the insufflated gas

C & K = proportionality constants

\dot{Q} = the analog of CO_2 produced

f_e = the frequency of effective (super threshold) breaths (i.e., each breath greater than a certain threshold volume). This threshold volume triggers a lowering of CO_2 a fixed amount K.

This study revealed the following:

a. There was a range of $\dot{Q}_V \text{CO}_2$'s in which the bird could frequency modulate to obtain a stable steady state CO_2 . (See Fig. 19.)

b. A stable CO_2 could not be maintained above this range.

c. A second mechanism was utilized below this range, that of taking ineffective, subthreshold breaths.

d. Stability is dependent upon a short reaction time between CO_2 sensing and adjustment of tidal volume and frequency. This is almost certainly due to the peripheral CO_2 receptors in the lung rather than central receptors in the brain or spinal fluid.

14. R. M. Weissberg¹² investigated the effects of dynamic changes of pulmonary CO_2 on tidal volume in the unidirectionally ventilated avian preparation. Using a-c coupling, he produced feedback control of CO_2 concentration while producing fast CO_2 concentration changes at different phases in the respiratory cycle.

a. Comparisons between an oscillatory and non-oscillatory CO_2 signal (at the same mean CO_2) showed both tidal volume and

period decreased as a result of the CO_2 oscillations. (See Fig. 20.)

b. When a 2 percent (decreasing) CO_2 step was moved through a respiratory cycle, the bird's tidal volume decreased and its respiratory period increased. The respiratory pattern varied so much with step changes, that careful and systematic moving of the downstep into the cycle did not appear to be practical.

c. When a 2 percent increasing step was moved through a respiratory cycle, tidal volume varied with where in the cycle the upstep occurred. The maximum effect on tidal volume resulted when the upstep came in mid-expiration. Three different models were presented to possibly reconcile this phenomenon:

(1) Derivative sampling of CO_2 during a fixed part of the respiratory cycle.

(2) Sampling of mean CO_2 during a fixed part of the respiratory cycle.

(3) The clipping effect due to a nonlinear property of the CO_2 receptor.

These results support the hypothesis that dynamic behavior of pulmonary CO_2 effect tidal volume.

15. D. A. Miller¹¹ investigated the avian respiratory control system for regulation of CO_2 by changing the algorithm of the computer component in the feedback loop.

a. A change in the gain of the plant component does not result in a proportional change of the open-loop gain of the system. This suggests that there is a provision for automatic gain control. Automatic gain control might be important in some pulmonary diseases where the effectiveness of ventilation in eliminating CO_2 is decreased.

b. Changing the gain of the plant does not, however, significantly change the intercept of the ventilation vs. mean CO_2 curve (i.e., the apneic level of mean CO_2). This intercept is directly related to the set point of a negative feedback regulator.

c. The biological "controlling system" is surprisingly linear. Data of ventilation vs. forced CO_2 disturbance and of mean CO_2 vs. forced CO_2 disturbance fall in straight lines. The latter plot allows determination of the respiratory system open-loop gain. This measure describes the effectiveness of CO_2 regulation in the presence of metabolic disturbances. The relatively decreased noise on the ventilation vs. mean CO_2 response curve compared to the noise on the rate and tidal volume vs. mean CO_2 response curves infers that ventilation is the central output variable rather than independently generated values of rate and tidal volume.

d. The sensitivity of the respiratory controlling system is a function of the CO_2 oscillation amplitude, at the same mean CO_2 . Larger CO_2 oscillations have an inhibitory effect upon ventilation. The results for very small CO_2 oscillations approaching the static case demonstrate that the dynamic and the static characteristics of the respiratory controlling system are quite different. (See Fig. 21.)

16. In the closed-loop preparation with % CO_2 held constant, the feedback algorithm controls the O_2 concentration. Without breathing the % O_2 drifts down at a rate \dot{Q} (the computer analog of rate of O_2 consumption). With each inspiration % O_2 is raised an increment proportional to the tidal volume of the breath. It was found that:

a. At low \dot{Q} values this was a stable closed-loop system, which regulated pulmonary % O_2 at about 20 volumes per cent. (See Fig. 22.) If momentarily O_2 was increased to 30% the animal would breathe a little slower and the O_2 would be returned to 20%. Conversely if O_2 were momentarily decreased to 12% faster and deeper respiratory movements would return the O_2 to about 20%. (See Fig. 23.)

b. At a medium \dot{Q} value a slow oscillation in mean O_2 of a frequency of about 0.01 Hz developed. (See Fig. 24.) A further increase in the \dot{Q} value produced large amplitude O_2 oscillation of about the same 0.01 Hz frequency with characteristic Cheyne-Stokes breathing. (See Fig. 25.)

c. No such instability exists in our CO_2 regulating chicken preparations. The difference may be explained by the delay between the time of increased breathing movements and the time the receptor detects the effect. CO_2 receptors are present in the lungs and O_2 receptors are about 5 seconds down the line in arteries or the brain.

17. Cyclic Instability as a Function of Feedback Delay: Using the standard closed-loop preparation, an absolute time delay was added to the feedback loop. We found (see Fig. 26):

a. The system responded to a pulse disturbance similar to a slightly under-damped second order system.

b. Adding a 2-second absolute time delay to the system decreases the apparent damping coefficient of the system slightly. Adding a 4- or 6-second delay produces more under-damping.

c. An 8-second delay produces an apparently undamped second order system which oscillates without decrement.

d. Adding further delay produces a system in which the oscillation crescendos until saturation.

e. The shape and symmetry of these oscillations may be indicative of a surprisingly linear system.

f. Since the total system is second order and the external feedback element is first order, the biological respiratory controller is behaving as a linear first order element.

g. We have worked out the mathematical approximation of how a time delay effects the apparent damping coefficient and natural frequency of a second order system.

h. Measurements of the apparent damping coefficient from the amplitudes of the oscillations agree well with theoretical predictions.

18. Since our experiments suggest the avian respiratory pacemaker involves a monostable delay element in the brain, we were intrigued by the work of Davies and Yamamoto in which they paced the respiration of a rat with slow sinusoidal currents applied to small areas in the medulla. In R. P. Morgan's investigation¹³, he:

a. Repeated the open-looped pacing of Davies.

b. Demonstrated two-to-one block (i.e., stimulus rate double the response rate).

c. Observed effect of light, non-pacing sinusoidal stimulus falling at different times in the respiratory cycle.

d. Used feedback signal from electro-spirometer to autostimulate these pacing areas of the rat medulla.

e. He discovered addition of delay to the feedback loop generated a pattern of ramps in the period vs. delay graph like those of the unidirectionally ventilated chicken.

f. He found there was a systemic deviation of each ramp from the predicted slope. The deviation is caused by a slight slippage in in phase relationship between stimulus and response through each ramp (i.e., the period was a function of phase).

19. Open-Loop Pacing of Respiration with Different Shaped Wave Forms: Sine waves, square waves, triangular waves and saw tooth waves were used. The range of pacing was the same for each--just under two octaves. We looked for an event in the CO₂ waveform which might be triggering the next breath. Such an event should happen a constant time period before the next breath. We had postulated this event to be the time of CO₂ lowering since it has been shown that a great volley of impulses pass up the vagus nerve with CO₂ lowering. But the time between

CO₂ lowering and the next inspiration varied from waveform to waveform. The time between when CO₂ first starts up (after having passed through a minimum) until the next inspiration remained constant at about 0.8 seconds. So it is presumably the triggering event. We have plans of further experiments with more exotic and aperiodic waveforms to test this finding.

20. Developed a technique for selectively blocking a set of intrapulmonary CO₂ receptors (IPCs) in the awake bird.

a. This technique involved adding a measured pulse (approximately one minute in duration) of sulfur dioxide, SO₂ to the insufflating air stream in a unidirectionally ventilated chicken.

b. Single fiber recordings of the vagal afferent fibers from these IPCs showed after a latency of about 30 seconds the IPCs would stop firing for 5 to 10 minutes and then would return. (See Fig. 27.)

c. Administration of the SO₂ block of IPCs during pacing experiments showed pacing would break after a similar latency of approximately 30 seconds (see Fig. 28) and returns after 5 to 10 minutes (see Fig. 29).

d. When SO₂ is given by insufflation it could be acting at two sites: (1) directly on IPCs, or (2) systemically through the blood to arterial or brain receptors, or both. The second possibility was ruled out when the intravenous injection of the same dose SO₂ did not break pacing. (See Fig. 30.)

In Fig. 30, apparently the acidity of the injection causes a speeding of respiratory rate and a loss of synchrony due to the range of pacing being raised. But when the frequency rate of the CO₂ oscillation is increased, synchrony again appears.

e. Administration of SO₂ block of IPCs during closed-loop regulation of CO₂ showed the regulated level rose from 4% to 6% and fell back down to 4% after eleven minutes (see Fig. 31) in at least one experiment.

f. Administration of SO₂ block during closed-loop regulation at another time showed decreased stability of CO₂ regulation, a periodic oscillation of CO₂ level similar to the oscillation produced by feedback delay. (See Fig. 32.)

g. This instability of the CO₂ regulation system after SO₂ blocked the IPCs was modeled. Figure 33 shows the three known sets of receptors with feedback regulation of CO₂. The artery represents a transmission line delay. Figure 34 expresses this relationship in block diagram form and lumps the receptor in the carotid body and medulla as systemic chemoreceptors with a delay

component (blood transit time) in the feedback loop. Figure 35 shows the analog simulation of Fig. 34. Figure 36 demonstrates two sets of parameters which give reasonable approximations of the patterns of response to pulse changes seen in Fig. 32.

h. Large doses of SO_2 produced a slow deep inspiration similar to the pattern caused by bilateral vagotomy. Compare Fig. 37 with Fig. 38 as a control.

21. One drawback with the unidirectionally ventilated bird preparation is that air flows at a much faster rate and not through the same routes as in normal ventilation. Carbon dioxide (or conversely, fresh air) pulses into the air stream tend to reach all areas of the lung at once and not in the sequence of normal breathing. The following preparation eliminates these objections, yet still shows that ventilatory movements are triggered by changes in CO_2 . Figure 39 shows the experimental setup. The bird breathes through a tracheostomy from a gas stream in which the CO_2 concentration can be quickly changed from 5% CO_2 (about the value of end expiratory CO_2) to 0% CO_2 (fresh air) and then back. This is called a pulse of "fresh air." Ventilation is monitored by a whole body plethysmograph and the time of beginning of inspiration, t_i , used to trigger the pulse of "fresh air." Therefore, when the animal breathes, the first air to reach his lungs is the air from the dead space in his trachea (Ca 5% CO_2). This air is followed by the 5% CO_2 in gas stream preceding the pulse. Fresh air comes next and lastly 5% CO_2 .

a. Figure 40 shows how changing the delay, τ , between inspiration and the pulse of fresh air effects respiratory period.

As τ is increased respiratory period, T , and the period of inspiration, T_i , are both increased. This dependency holds true on a breath-by-breath basis when τ is changed dynamically. In Fig. 5, τ has been varied in a sinusoidal pattern; T_i and T follow. Note that K , the time between the rise in CO_2 and expiration begins, t_i , stays relatively constant. We believe this shows a rise in CO_2 triggers the next expiration.

b. To test whether the event triggering expiration was the down-stroke or the up-stroke of the pulse, the width of the pulse was changed. The value of K stayed constant while the time between the down-stroke of CO_2 and the beginning of expiration increased the same amount the pulse was increased. Therefore, the down-stroke was not triggering event. (See Fig. 41.)




Figure 1




Figure 2



Figure 3




Figure 4




Figure 5




Figure 6




Figure 7

TRANSIENT RESPONSES TO \dot{Q}_{VCO_2} PULSES




Figure 8




Figure 9

PACING WITH FREQUENCY MODULATED CO₂ OSC.




Figure 10

PACING WITH AMPLITUDE MODULATED CO₂ OSC.



PLETH. (insp.†)



TIME (sec)



Figure 11

PHASE RELATIONSHIP BETWEEN OSC. DISTURBANCE AND INTRINSIC CO₂ OSC.




Figure 12

OSCILLATORY INSTABILITY CAUSED BY A 6 SEC DELAY

Albert L. Kohn
Privileged Communication




Figure 13

CHEYNE - STOKES
CAUSED BY AN 8 SEC DELAY




Figure 14

AC COUPLED DELAY





Figure 15





Figure 16



28






Figure 18




Frequency Range vs. CO_2 Disturbances

Figure 19



AC Coupling via Tidal Volume

Figure 20



Effect of Amplitude of CO₂ Oscillation

Figure 21

O₂ REGULATION WITH LOW \dot{Q}




Figure 22

TRANSIENT RESPONSES TO \dot{Q}_{O_2} PULSES




Figure 23

INSTABILITY CAUSED BY INCREASED \dot{Q}




Figure 24

"CHEYNE - STOKES" CAUSED BY HIGH \dot{Q}




Figure 25





Figure 26



Single Unit Recording of SO₂ Blocking IPC
and its Spontaneous Recovery (From Kunz et al)

Figure 27




Figure 28

%CO₂




PLETH.



SYNC.




RECOVER



PERIOD


CHANGE PAPER SPEED

Figure 29



I.V. Infusion of SO₂-Aerated Saline in CO₂ Pacing

Figure 30



Closed-Loop CO₂ Regulation after Small
Doses of SO₂ in the Steady-State

Figure 31






Figure 32




Three CO₂ Receptors with Their Inherent Delays

Figure 33



Possible Respiratory Drive of Multiple Feedback Diagram

Figure 34



Analog Simulation Model

Figure 35



$\alpha = 5.0$
 $R_i = 1.0$
 $R_t = 0.5$
 DELAY
 = 1.0 sec.

 5 sec.

$R_i = 0$




$\alpha = 5.0$
 $R_i = 15$
 $R_t = 0.7$
 DELAY
 = 4.0 sec.

 5 sec.

$R_i = 0$


Figure 36




PVLB and Subsequent Unilateral and Bilateral Vagotomy

Figure 37

CONTROL




BILATERAL VAGOTOMY



Controlled Closed-Loop Steady-State CO₂
Regulation and Subsequent Surgical Vagotomy

Figure 38






Figure 40




Figure 41

PROFESSIONAL PERSONNEL

Albert Kunz, M.D.
David A. Miller, Ph.D., 1972
Robert M. Weisberg, Ph.D., 1972
Robert P. Morgan, Ph.D., 1972
Ming-Jen Chiang, Ph.D., 1976
Philip Berger, Post Doctoral Fellow
Richard D. Tallman, Jr. (Ph.D. Candidate)
Dana N. Stone (Ph.D. Candidate)
Keith Michal, Ph.D. (WOC)
Dr. Harold S. Weiss, W.D.C.

TECHNICAL PERSONNEL

Margret Perry
Joan Zipf
David Rittinger
John F. King
Katherine Satter
Gloria McClain
Richard Jackson
Larry Lily
William Dinan
Jane Carman
Dianne Dietrich
Heide Fishpaw
Alan Levinstone
Mike Berman

ARTICLES

1. Kunz, A.K., D.A. Miller and R.M. Weissberg. "The Avian Respiratory Pacemaker: An Analysis of the Effect of CO₂ Dynamics." In: Iberdel, A.S. and A.C. Guyton (eds.), Regulation and Control in Physiological Systems, International Federation of Automatic Control, Rochester, New York (1973), pp. 300-303.
2. Kunz, A.L. and D.A. Miller. "Cyclic Instability of the Avian CO₂ Regulatory System as a Function of Feedback Delay." Proceedings VII International Congress on Cybernetics, pp. 149-158, Association Internationale de Cybernetique, Namur, 1974.
3. Kunz, A.L. and D.A. Miller. "Pacing of Avian Respiration with CO₂ Oscillation." Respir. Physiol. 22: 167-177, 1974.
4. Kunz, A.L. and D.A. Miller. "Effects of Feedback Delay Upon the Apparent Damping Ratio of Avian Respiratory Control System." Respir. Physiol. 22: 179-189, 1974.
5. Miller, D.A. and A.L. Kunz. "Avian Ventilatory Responses to Dynamic CO₂ Signals." J. Appl. Physiol. 39: 129-134, 1975.
6. Kunz, A.L. and Takeo Kawashiro and Peter Scheid. "Study of CO₂ Sensitive Vagal Afferents in the Cat Lung." Respir. Physiol. 27: 347-355, 1976.
7. Miller, D.A. and A.L. Kunz. "Evidence that a Cyclic Rise in Pulmonary CO₂ Triggers Inspiration in Birds." Respir. Physiol. In Press.
8. Kunz, A.L., P.J. Berger, and M.J. Chiang. "Abolition of the Discharge of Intrapulmonary Chemoreceptors of Sulfur Dioxide." Submitted for publication.
9. Tallman, R.D., A.L. Kunz and D.A. Miller. "The Effect of Changing the Temporal Pattern of FCO₂ in the Inspiratory Gas Flow of Birds." In Prep. for Resp. Physiol.
10. Chiang, M.J., P.J. Berger and A.L. Kunz (1977) "The Involvement of Intrapulmonary Chemoreceptors in Pacing in the Domestic Fowl (Gallus domesticus)." Submitted for publication.

The Following Ph.D. Dissertations:

11. Miller, D.A. "Closed-loop Analysis of the Avian Respiratory Controlling System by Varying the Parameters of the Plant." Ph.D. Dissertation, The Ohio State University, Columbus, Ohio (1972).

12. Weissberg, R.M. "The Dynamic Effects of Pulmonary CO_2 on Tidal Volume in a Unidirectional Ventilated Avian Preparation." Ph.D. Dissertation, The Ohio State University, Columbus, Ohio (1972).
13. Morgan, R.P. "Self-paced Respiration in Rats: The Effect of Feedback Delay." Ph.D. Dissertation, The Ohio State University, Columbus, Ohio (1972).
14. Chiang, Ming-Jen. "The Effects of Sulfur Dioxide Block of Avian Intrapulmonary Chemoreceptors on the Ventilatory Regulation of CO_2 ." Ph.D. Dissertation, The Ohio State University, Columbus, Ohio (1976).

ABSTRACTS

1. Kunz, A.L., R.P. Morgan and D.A. Miller. "Respiratory Responses to Step and Sinusoidal Changes of Alveolar CO_2 Concentration in Unidirectionally Ventilated Chickens." (Abstract), Fed. Proc., March, 1970.
2. Miller, D.A., A.L. Kunz and R.M. Weissberg. "Respiratory Responses to Increased CO_2 Loads in Externally Closed-Loop Chickens." Physiologist 13: 261, August, 1970.
3. Kunz, A.L. and D.A. Miller. "Pacing Respiratory Movements with Alveolar Carbon Dioxide Oscillations." Fed. Proc. 30: 270, March, 1971.
4. Kunz, A.L., R.M. Weissberg and D.A. Miller. "Effect of Controlled Delays in an External Respiratory Feedback Loop." Proc. Intl. Union Physiol. Sci. IX 329, 1971.
5. Kunz, A.L. "Dynamics of Alveolar CO_2 Control." BUMED-ONR Sponsored Navy-wide Workshop in High Pressure Biomedical Research, p. 3, May 18-20, 1971.
6. Weissberg, R.M., A.L. Kunz and M.S. Peery. "Feedback Control of Alveolar CO_2 via Respiratory Frequency." Physiologist 14: 251, 1971.
7. Kunz, A.L., D.A. Miller and R.M. Weissberg. "Control of Alveolar O_2 While CO_2 is Kept Constant in an Externally Closed-Loop Preparation." XIX International Congress of Aviation and Space Medicine, p. 68, Tel-Aviv, October, 1971.
8. Miller, D.A. and A.L. Kunz. "Effect of the Amplitude of Respiratory CO_2 Oscillations on Ventilation." Fed. Proc. 30: 428, 1972.
9. Morgan, R.P. and A.L. Kunz. "Self-paced Respiration in Rats: The Effect of Feedback Delay." Physiologist 15: 221, 1972.

10. Tallman, R.D. and A.L. Kunz. "The Effect of Changing the Temporal Pattern of FCO_2 in the Inspiratory Gas Flow of Birds." *Physiologist*, 19: 385, August, 1976.
11. Berger, P.J., R.D. Tallman, Jr., and A.L. Kunz. "Effect of Temporal Changes in Inspiratory FCO_2 on Intrapulmonary CO_2 Receptor Discharge in Decerebrate Ducks." In press. *Fed. Proc.* April, 1977.
12. Tallman, R.D., Jr., and A.L. Kunz. "Changes in Inspiratory Duration as a Function of When FCO_2 is Increased in the Inspiratory Gas Flow of Birds" In press. *Proceedings. XXVII International Congress of Physiological Sciences*, Paris, 1977.

OFFICE OF NAVAL RESEARCH
BIOLOGICAL & MEDICAL SCIENCES DIVISION

DISTRIBUTION LIST FOR TECHNICAL REPORTS AND/OR REPRINTS

Number of Copies

(12)	Administrator, Defense Documentation Center Cameron Station Alexandria, Virginia 22314
(6)	Director, Naval Research Laboratory Attention: Technical Information Division Code 2027 Washington, D. C. 20375
(6)	Director, Naval Research Laboratory Attention: Library Code 2029 (ONRL) Washington, D. C. 20375
(3)	Physiology Program Office of Naval Research, Code 441 Arlington, Virginia 22217
(1)	Commanding Officer Naval Medical Research and Development Command National Naval Medical Center Bethesda, Maryland 20014
(1)	Technical Reference Library Naval Medical Research Institute National Naval Medical Center Bethesda, Maryland 20014
(1)	Office of Naval Research Branch Office 495 Summer Street Boston, Massachusetts 02210
(1)	Office of Naval Research Branch Office 536 South Clark Street Chicago, Illinois 60605
(1)	Office of Naval Research Branch Office 1030 East Green Street Pasadena, California 91106
(1)	Office of Naval Research Contract Administrator for Southeastern Area 2110 G Street, N. W. Washington, D. C. 20037

- (1) Donald J. Freeman, MAJ, MI
Operations Officer, U.S. Army Science & Technology
Center, Far East Office
APO San Francisco 96328
- (1) Director
National Library of Medicine
8600 Wisconsin Avenue
Bethesda, Maryland 20014
- (1) Scientific Library
Naval Aerospace Medical Research Institute
Naval Aerospace Medical Center
Pensacola, Florida 32512
- (1) Commanding Officer
Naval Air Development Center
Attention: Crew Systems Department
Warminster, Pennsylvania 18974
- (1) Commander
Army Research Office, Durham
Box CM
Duke Station
Durham, North Carolina 27706
- (1) Director, Life Sciences Division
Air Force Office of Scientific Research
1400 Wilson Boulevard
Arlington, Virginia 22209
- (1) Commanding General
Army Medical Research & Development Command
Forrestal Building
Washington, D. C. 20314
- (1) Your local ONR Resident Representative
- (1) Commander
Defense Contract Administration Services
District (for your district, if applicable)

Please note that only reprints, technical reports (i.e., produced at the discretion of the investigator to inform the members of the distribution list of some scientific or technical accomplishment prior to publication) and final reports (at the termination of the contract) should be distributed to addressees on this list. Annual Progress Reports and Semi-Annual Progress Abstracts are submitted to the Physiology Program Director only. Renewal proposals are submitted to the Physiology Program Director via your local Resident Representative or ONR Branch Office.

OFFICE OF NAVAL RESEARCH
PHYSIOLOGY PROGRAM

DISTRIBUTION LIST
FOR
ENVIRONMENTAL PHYSIOLOGY REPORTS

Number of Copies

(1)	Human Performance Division U.S. Naval Medical Research and Development Command, Code 44 National Naval Medical Center Bethesda, Maryland 20014
(1)	Head, Aviation Operational Psychology, Code 513 Bureau of Medicine and Surgery Washington, D. C. 20372
(1)	Environmental BioSciences Department Naval Medical Research Institute National Naval Medical Center Bethesda, Maryland 20014
(1)	Dr. A. L. Slafkosky Scientific Advisor Commandant of Marine Corps, Code RD-1 Washington, D. C. 20380
(1)	Officer in Charge Navy Medical Neuropsychiatric Research Unit San Diego, California 92151
(1)	Officer in Charge U. S. Naval Aviation Safety Activity Naval Air Station Norfolk, Virginia 23511
(1)	Commanding Officer U. S. Army Research Institute of Environmental Medicine Natick, Massachusetts 01760
(1)	Science and Technology Division Library of Congress Washington, D. C. 20540
(1)	Library, Code 0212 Naval Postgraduate School Monterey, California 9340

- (1) U. S. Naval Medical Research Laboratory
U. S. Naval Submarine Medical Center
Attention: Dr. G. O. Moeller, Jr.
Box 434
New London, Connecticut 06320
- (1) Commanding Officer and Director
U. S. Naval Training Device Center
Attention: Technical Library
Orlando, Florida 32813
- (1) Library
Naval Electronics Laboratory Center
San Diego, California 92152
- (1) Commander
U. S. Naval Missile Center
Human Factors Branch
Attention: Technical Library
Point Mugu, California 93041
- (1) U. S. Naval Medical Research Laboratory
U. S. Naval Submarine Base, New London
Box 100
Groton, Connecticut 06342
- (1) U. S. Naval Medical Research Laboratory
U. S. Naval Submarine Medical Center
U. S. Naval Submarine Base, New London
Attention: Dr. J. Kinney
Groton, Connecticut 06320
- (1) Aerospace Medical Division
Behavioral Science Laboratory
6570 AMRL (MRH)
Wright-Patterson Air Force Base
Attention: Dr. Walter Grether
Ohio 45433
- (1) Commandant
U. S. Air Force School of Aerospace Medicine
Brooks Air Force Base
Attention: Aeromedical Library (SMSDL)
Texas 78235
- (1) Human Factors Engineering Branch
Director of Medical Research
Edgewood Arsenal Maryland 21010

- (1) Director
Air University Library
Attention: AUL-8110
Maxwell Air Force Base
Alabama 36112
- (1) Director
Office of Military Psychology & Leadership
U. S. Military Academy
West Point, New York 10996
- (1) Dr. Gilbert C. Tolhurst
Department of Speech
University of Massachusetts
Amherst, Massachusetts 01002
- (1) U. S. Army Aeromedical Research Unit
Attention: Library
Fort Rucker, Alabama 30360
- (1) Dr. John L. Andreassi
Baruch College
The City University of New York
17 Lexington Avenue
New York, New York 10010
- (1) Dr. Jack D. Barchas
Assistant Professor
Department of Psychiatry
Stanford University
School of Medicine
Palo Alto, California 94305
- (1) Dr. Ernest S. Barratt
Research Professor and Director
Behavioral Science Laboratory
Department of Neurology and Psychiatry
University of Texas - Medical Branch
Galveston, Texas 77550
- (1) Dr. Clyde A. Britson
Dunlap & Associates
Suite AA
7730 Herschell Street
La Jolla, California 92037
- (1) Dr. John L. Brown
Department of Psychology
University of Rochester
Rochester, New York 14627

- (1) Dr. E. Callaway
Department of Mental Hygiene
Langley-Porter Neuropsychiatric Institute
Parnassus and First Avenue
San Francisco, California 94122
- (1) Dr. H. R. Cama
Department of Biochemistry
Indian Institute of Science
Bangalore-12, India
- (1) Dr. Keith E. Cooper
Division of Medical Physiology
University of Calgary
Calgary 44
Alberta, Canada
- (1) Dr. Alfred L. Copley
Research Professor of Life Sciences
Polytechnic Institute of New York
333 Jay Street
Brooklyn, New York 11201
- (1) Dr. Marianne Frankenhaeuser
Psychological Laboratories
University of Stockholm
Box 6706
S-11385
Stockholm, Sweden
- (1) Dr. Melvin J. Fregly
Professor, Department of Physiology
College of Medicine
The J. Hillis Miller Health Center
University of Florida
Gainesville, Florida 32601
- (1) Dr. C. Gisolfi
Department of Physiology
University of Iowa
Iowa City, Iowa 52240
- (1) Dr. Vincent V. Glaviano
Professor and Chairman
Department of Physiology
Chicago Medical School
University of Health Sciences
2020 West Ogden Avenue
Chicago, Illinois 60612

- (1) James E. Goodson
CDR MSC USN
Head, Aerospace Psychology Department
Naval Aerospace Medical Institute
Naval Aerospace and Regional
Medical Center
Pensacola, Florida 32512
- (1) Dr. Paul Hurst
Institute for Research
State College, Pennsylvania 16801
- (1) Dr. R. R. Hutchinson
Foundation for Behavioral Research
P. O. Box 267
Kalamazoo, Michigan 49001
- (1) Dr. Laverne Johnson
U. S. Naval Medical Neuropsychiatric Research
Center
San Diego, California 92152
- (1) Dr. Albert L. Kunz
Assistant Professor
Department of Physiology
College of Medicine
The Ohio State University
1314 Kinnear Road
Columbus, Ohio 43212
- (1) Dr. Lennart Levi
Director
Laboratory for Clinical Stress Research
FACK
S-10401 Stockholm 60
Sweden
- (1) Dr. Seymour Levine
Professor and Director
Laboratory of Developmental Psychobiology
Stanford University School of Medicine
Department of Psychiatry
Stanford University Medical Center
Stanford, California 94305
- (1) Dr. John R. Magel
Associate Professor
Laboratory of Applied Physiology
Queens College of the City University
of New York
Flushing, New York 11367

- (1) Dr. David S. Mailman
Assistant Professor
Department of Biology
University of Houston
3801 Cullen Boulevard
Houston, Texas 77004
- (1) Dr. Donald D. Megenity
Division of Behavioral Sciences
Southern Colorado State College
Pueblo, Colorado 81001
- (1) Professor Karel Montor
Behavioral Sciences Department
United States Naval Academy
Annapolis, Maryland 21402
- (1) Dr. Robert Myers
Professor
Department of Psychology
Purdue University
Lafayette, Indiana 47907
- (1) Dr. James F. O'Hanlon
Human Factors Research, Inc.
6780 Cortona Drive
Santa Barbara Research Park
Goleta, California 93017
- (1) Director
American Institute of Biological Sciences
1401 Wilson Boulevard
Arlington, Virginia 22209
- (1) Dr. T. Ramasarma
Department of Biochemistry
Indian Institute of Science
Bangalore-12, India
- (1) Drs. T. A. Rudy and T. L. Yaksh
School of Pharmacy
University of Wisconsin
425 N. Charter Street
Madison, Wisconsin 53706
- (1) Dr. David Shapiro
Department of Psychiatry
University of California, Los Angeles
760 Westwood Plaza
Los Angeles, California 90024

- (1) Dr. H. Teitelbaum
Behavioral Sciences Department
Armed Forces Radiobiology Research Institute
Bethesda, Maryland 20014
- (1) Professor R. Viswanathan
Professor and Emeritus Scientist
Vallabhbhai Patel Chest Institute
University of Delhi
Delhi-7, India
- (1) Dr. Milton Whitcomb
Executive Secretary
Committee on Hearing, Bioacoustics
and Biomechanics
National Academy of Sciences
2101 Constitution Avenue, N.W.
Washington, D. C. 20418
- (1) Dr. C. T. White
Naval Electronics Laboratory Center
Human Factors Technology Division
San Diego, California 92152

Please note that only reprints, technical reports (i.e., produced at the discretion of the investigator to inform the members of the distribution list of some scientific or technical accomplishment prior to publication) and final reports (at the termination of the contract) should be distributed to addressees on this list. Annual progress reports and semi-annual progress abstracts are submitted to the Project Officer, Environmental Physiology, Physiology Program only. Renewal proposals are submitted to the Physiology Program Director via your local Resident Representative or ONR Branch Office.